

BASEMENT 5600 + 2200



Basements need fresh air, too. Whether you're looking to bring fresh air into your recreation room, need pass-through space for large objects or have to meet fire escape codes, we have the basement window to meet your needs. 5600 triple pane windows are now available in jet black exterior wrap.

BASEMENT 5600 + 2200



Features

- Energy efficient
- Superior airflow control
- Removable sashes
- Durable
- Great resistance to water and air leaks

Specifications


- Designed to meet fire escape codes for basement bedrooms
- Available with high performance glazing options

Options

Operating style	Frame Exterior colour	Interior colour	Hardware	Grille pattern	Grille colour	Grille widths	Interior SDL colour	SDL widths
Awning Casement Fixed Hung Picture Slider	White Wicker Black Jet Black Anthracite Grey Architec tural Brown Clear Anodized Mattrex Kitami Oak Concrete Oak Malt Oak Toffree Pebble Bone White Forest Green Slate Grey	White Wicker Jet Black Stainable Fir	White Wicker Brushed Nickel Bronze Black	Double Ladder Double Perimeter Ladder Perimeter Rectongular Triple Ladder	White Wicker Black Patina Lead Gold	1" 5/16" 5/8" Georgian 5/8"	White Wicker Jet Black Stainable Fir	1-1/4" 7/8" 2" Mullion
• • • • • •	• • • • • • • • • • • • • • • • •	• • • •	• • • • •					

Exterior simulated divided colours	Brickmould type	Brickmould colour	Glass system	Optional glass types
Wicker Black Jet Black Anthracite Grey Architectural Brown Chocolate Brown Clear Anodized Mattrex Kitami Oak Malt Oak Malt Oak Malt Oak Malt Bone White Bone White Forest Green	Jade Grey 1-1/2" Aluminium 2" Aluminium 1-1/2" New Construct 1-1/2" Reno 2" Reno 2" Set Back Reno Industrial Aluminium	White White Wicker Black Jet Black Anthracity Grey Architecture Brown Chocolate Brown Clear Anodized Mattrex Kitami Oak Concrete Oak Malt Oak Concrete Dak Malt Oak Toffee Pebble Bone White Forest Green Slate Grey	 Clear - Dual Clear - Triple Low-E / HS1-Dual Low-E / HS2-Triple Low-E / HS3-Triple Sunstop / HS4-Dual Sunstop / HS6-Triple Sunstop / HS4-Dual System 5 / HS4-Dual System 5 / HS4-Dual 	 Opaque Pin obscure Rain Bronze Grey





BASEMENT 5600 + 2200

COLOURS MAY LOOK DIFFERENT DEPENDING UPON VIEWING DEVICE OR PRINTING PLATFORM

Colours Exterior		Colours Interior	Encore White Encore Wicker
Grille colours	Grille widths	SDL and simulated mullipps	
	Not all colours available with all sizes.	SDL and simulated mullions colour will match the frame colour.	

Hardware / finish

Operating styles



Hopper

Slider

Glossary

Brickmould

Brickmould is attached to the window or door frame on the exterior of a home. It covers the gap between your home's exterior and the window or door frame.

Grille

Cross-bars in between the panes of glass to give the impression the window is divided into a number of smaller panes.

Frame

Our side part of a window consisting of jambs and sills that encloses a window sash.

Simulated Divided Lites (SDL)

Decorative bars that are placed on the exterior of the glass. This gives the look of divided glass without compromising performance and energy efficiency.

Mullion

A mullion is the vertical piece that connects side-by-side units of a window.

Sash

The sash is the part of the window holding the glass in place when the window is being opened. They are available in sliding or hinged models, and create a tight seal with the frame when the window is closed.

Argon Gas

Argon is an inert gas, non-toxic, clear and odourless. Used to fill the space between panes of glass, it minimizes convective currents reduces the chance of glass collecting frost on cold winter days.

Dual Clear Glass

Dual Clear Glass is two panes of glass with no special coating applied. The panes are spaced a ½ inch apart and the air between the panes acts as an insulation barrier, making your windows more energy efficient.

SunStop

SunStop uses two layers of Low-E coating to block out the sun's heat, light and UV rays. Perfect for south and west-facing windows, this coating keeps your home cool in the summer and warmer in the winter with superior insulation performance.

Triple Pane

Also spaced a ½ inch apart, these three panes provide more insulation than dual pane when it comes to energy efficiency. Enjoy lower heating costs, virtually no condensation and an excellent sound barrier, giving your home added privacy.

Low-E

Low emissivity is a clear coating that reduces heat loss by reflecting furnace heat back into a room, allowing lots of outside solar energy to pass into your home. In winter, it can even reduce the demands on your furnace. Low-E can offer 35%-105% better insulation when combined with dual/triple pane glass.

ALL WEATHER AT HOME

Connections

Thermal & Structural Ratings

a crucial aspect of modern

building design, aiming to

utility costs while enhancing

comfort. In Canada, the North

American Fenestration Standard

(NAFS) plays a significant role in

setting the performance criteria

for windows and doors. NAFS

framework for assessing and

certifying the performance of

ENERGY STAR® CERTIFIED

ENERGY STAR is a third party

proudly manufacture ENERGY

many that qualify for the "Most

STAR certified products including

assessment of the energy

efficiency of products. We

fenestration products, ensuring

they meet rigorous standards for

energy efficiency, durability, and

provides a comprehensive

weather resistance.

Efficient" program.

Energy efficiency for windows is

minimize energy loss and reduce

in f 🛈 🕅 🕨

All Weather at Home Toll free: 800.638.5709 **allweatherathome.ca**



For more specific options, scan this QR code.

While we endeavor to ensure our information is accurate, All Weather at Home will not be held liable for any inaccuracies. All information is subject to change, errors and omissions without notice or liability. Please note all colours are not exactly as shown due to technical limitation and differences in devices and printing. Always check the website for latest product information.