



SUMMIT

9700 SERIES

ELEVATIONS
CG-OF

| | | OPENING WIDTH | | | | | | | |
|-----------------|------------------|-----------------|-----------------|-----------------|-----------------|-----------------|------------------|------------------|------------------|
| | | 24 5/8 (625) | 28 1/2 (725) | 30 1/2 (775) | 32 1/2 (825) | 36 3/8 (925) | 40 3/8 (1025) | 48 1/4 (1225) | 56 1/8 (1425) |
| OPENING HEIGHT | RO inches/mm | 23 5/8 (600) | 27 1/2 (700) | 29 1/2 (750) | 31 1/2 (800) | 35 3/8 (900) | 39 3/8 (1000) | 47 1/4 (1200) | 55 1/8 (1400) |
| | OSM inches/mm | 16 3/4 (425) | 15 3/4 (400) | | | | | | |
| | 20 5/8 (525) | 19 5/8 (500) | | | | | | | |
| | 24 5/8 (625) | 23 5/8 (600) | | | | | | | |
| | 28 1/2 (725) | 27 1/2 (700) | | | | | | | |
| | 30 1/2 (775) | 29 1/2 (750) | | | | | | | |
| 32 1/2 (825) | 31 1/2 (800) | | | | | | | | |
| | | 6040 | 7040 | 7540 | 8040 | 9040 | 10040 | 12040 | 14040 |
| | | 6050 | 7050 | 7550 | 8050 | 9050 | 10050 | 12050 | 14050 |
| | | 6060 | 7060 | 7560 | 8060 | 9060 | 10060 | 12060 | 14060 |
| | | 6070 | 7070 | 7570 | 8070 | 9070 | 10070 | 12070 | 14070 |
| | | 6075 | 7075 | 7575 | 8075 | 9075 | 10075 | 12075 | 14075 |
| | | 6080 | 7080 | 7580 | 8080 | 9080 | 10080 | 12080 | 14080 |

E = THESE WINDOWS MEET CANADIAN EGRESS REQUIREMENTS.



SUMMIT

9700 SERIES ELEVATIONS CG-OF

OPENING WIDTH

| RO Inches/mm CG-OF | 24 5/8 (625) | | 28 1/2 (725) | | 30 1/2 (775) | | 32 1/2 (825) | | 36 3/8 (925) | | 40 3/8 (1025) | | 48 1/4 (1225) | | 56 1/8 (1425) | |
|--------------------------|-----------------|--|-----------------|--|-----------------|--|-----------------|--|-----------------|--|------------------|--|------------------|--|------------------|--|
| | 23 5/8 (600) | | 27 1/2 (700) | | 29 1/2 (750) | | 31 1/2 (800) | | 35 3/8 (900) | | 39 3/8 (1000) | | 47 1/4 (1200) | | 55 1/8 (1400) | |
| 36 3/8 (925) | | | | | | | | | | | | | | | | |
| 35 3/8 (900) | | | | | | | | | | | | | | | | |
| 40 3/8 (1025) | | | | | | | | | | | | | | | | |
| 39 3/8 (1000) | | | | | | | | | | | | | | | | |
| 48 1/4 (1225) | | | | | | | | | | | | | | | | |
| 47 1/4 (1200) | | | | | | | | | | | | | | | | |
| 56 1/8 (1425) | | | | | | | | | | | | | | | | |
| 55 1/8 (1400) | | | | | | | | | | | | | | | | |
| 60 (1525) | | | | | | | | | | | | | | | | |
| 59 (1500) | | | | | | | | | | | | | | | | |

E = THESE WINDOWS MEET CANADIAN EGRESS REQUIREMENTS.



SUMMIT

9700 SERIES ELEVATIONS CG-OF

| | | OPENING WIDTH | | | | | | | | | | |
|----------------|-----------------|-----------------|-----------------|------------------|------------------|------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| | | (1525) | 64 (1625) | 71 7/8 (1825) | 29 3/4 (2025) | 83 5/8 (2125) | 95 1/2 (2425) | | | | | |
| OPENING HEIGHT | RO mm | 59 (1500) | 63 (1600) | 70 7/8 (1800) | 78 3/4 (2000) | 82 5/8 (2100) | 94 1/2 (2400) | | | | | |
| | OS/SH mm | 16 3/4 (425) | 15 3/4 (400) | 20 5/8 (525) | 19 5/8 (500) | 24 5/8 (625) | 23 5/8 (600) | 28 1/2 (725) | 27 1/2 (700) | 30 1/2 (775) | 29 1/2 (750) | 32 1/2 (825) |
| | 16 3/4 (425) | | | | | | | | | | | |
| | 20 5/8 (525) | | | | | | | | | | | |
| | 24 5/8 (625) | | | | | | | | | | | |
| | 28 1/2 (725) | | | | | | | | | | | |
| | 30 1/2 (775) | | | | | | | | | | | |
| | 32 1/2 (825) | | | | | | | | | | | |

E = THESE WINDOWS MEET CANADIAN EGRESS REQUIREMENTS.



SUMMIT

9700 SERIES ELEVATIONS CG-OF

OPENING WIDTH

| RO Inches/mm OSA Inches/mm | (1525) | | 64 (1625) | | 71 7/8 (1825) | | 29 3/4 (2025) | | 83 5/8 (2125) | | 95 1/2 (2425) | |
|-------------------------------------|--------------|--|--------------|--|------------------|--|------------------|--|------------------|--|------------------|--|
| | 59 (1500) | | 63 (1600) | | 70 7/8 (1800) | | 78 3/4 (2000) | | 82 5/8 (2100) | | 94 1/2 (2400) | |
| 36 3/8 (925) | | | | | | | | | | | | |
| | 15090 | | 16090 | | 18090 | | 20090 | | 21090 | | 24090 | |
| 40 3/8 (1025) | | | | | | | | | | | | |
| | 150100 | | 160100 | | 180100 | | 200100 | | 210100 | | 240100 | |
| 48 1/4 (1225) | | | | | | | | | | | | |
| | 150120 | | 160120 | | 180120 | | 200120 | | 210120 | | 240120 | |
| 56 1/8 (1425) | | | | | | | | | | | | |
| | 150140 | | 160140 | | 180140 | | 200140 | | 210140 | | 240140 | |
| 60 (1525) | | | | | | | | | | | | |
| | 150150 | | 160150 | | 180150 | | 200150 | | 210150 | | 240150 | |

E = THESE WINDOWS MEET CANADIAN EGRESS REQUIREMENTS.



SUMMIT

9700 SERIES

ELEVATIONS
CSH-V

OPENING WIDTH

| | | OPENING WIDTH | | | | | | | | | | |
|----------------|-------------------------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|------------------|------------------|------------|-----------|
| | | 16 3/4 (425) | 20 5/8 (525) | 24 5/8 (625) | 28 1/2 (725) | 30 1/2 (775) | 32 1/2 (825) | 36 3/8 (925) | 40 3/8 (1025) | 48 1/4 (1225) | | |
| OPENING HEIGHT | RO inches/mm OSM inches/mm | 28 1/2 (725) | 27 1/2 (700) | 4070 | 5070 | 6070 | 7070 | 7570 | 8070 | 9070 | 10070 | 12070 |
| | 30 1/2 (775) | 29 1/2 (750) | 4075 | 5075 | 6075 | 7075 | 7575 | 8075 | 9075 | 10075 | 12075 | |
| | 32 1/2 (825) | 31 1/2 (800) | 4080 | 5080 | 6080 | 7080 | 7580 | 8080 | 9080 | 10080 | 12080 | |
| | 36 3/8 (925) | 35 3/8 (900) | 4090 | 5090 | 6090 | 7090 | 7590 | 8090 | 9090 | 10090 | 12090 | |
| | 40 3/8 (1025) | 39 3/8 (1000) | 40100 | 50100 | 60100 | 70100 | 75100 | 80100 | 90100 | 100100 | 120100 | |
| | 48 1/4 (1225) | 47 1/4 (1200) | 40120 | 50120 | 60120 | 70120 | 75120 | 80120 | 90120 | 100120 | 120120 | |
| | 56 1/8 (1425) | 55 1/8 (1400) | 40140 | 50140 | 60140 | 70140 | 75140 | 80140 | 90140 | 100140 | 120140 | |



SUMMIT

9700 SERIES

ELEVATIONS

CSH-V

OPENING WIDTH

| | | OPENING WIDTH | | | | | | | | | |
|----------------|------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|------------------|------------------|--|
| | | 16 3/4 (425) | 20 5/8 (525) | 24 5/8 (625) | 28 1/2 (725) | 30 1/2 (775) | 32 1/2 (825) | 36 3/8 (925) | 40 3/8 (1025) | 48 1/4 (1225) | |
| | | 15 3/4 (400) | 19 5/8 (500) | 23 5/8 (600) | 27 1/2 (700) | 29 1/2 (750) | 31 1/2 (800) | 35 3/8 (900) | 39 3/8 (1000) | 47 1/4 (1200) | |
| OPENING HEIGHT | 60 (1525) | | | | | | | | | | |
| | 59 (1500) | | | | | | | | | | |
| | | 40150 | 50150 | 60150 | 70150 | 75150 | 80150 | 90150 | 100150 | 120150 | |
| | 64 (1625) | | | | | | | | | | |
| | 63 (1600) | | | | | | | | | | |
| | | 40160 | 50160 | 60160 | 70160 | 75160 | 80160 | 90160 | 100160 | 120160 | |
| | 71 7/8 (1825) | | | | | | | | | | |
| | 70 7/8 (1800) | | | | | | | | | | |
| | | 40180 | 50180 | 60180 | 70180 | 75180 | 80180 | 90180 | 100180 | 120180 | |

E = THESE WINDOWS MEET CANADIAN EGRESS REQUIREMENTS.



SUMMIT

9700 SERIES

ELEVATIONS
CP-P

OPENING WIDTH

| RO Inches/mm | OPENING WIDTH | | | | | | | | | |
|------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|------------------|------------------|------------------|
| | 16 3/4 (425) | 20 5/8 (525) | 24 5/8 (625) | 28 1/2 (725) | 30 1/2 (775) | 32 1/2 (825) | 36 3/8 (925) | 40 3/8 (1025) | 48 1/4 (1225) | 56 1/8 (1425) |
| 15 3/4 (400) | 16 3/4 (425) | 19 5/8 (500) | 23 5/8 (600) | 27 1/2 (700) | 29 1/2 (750) | 31 1/2 (800) | 35 3/8 (900) | 39 3/8 (1000) | 47 1/4 (1200) | 55 1/8 (1400) |
| 16 3/4 (425) | 4040 | 5040 | 6040 | 7040 | 7540 | 8040 | 9040 | 10040 | 12040 | 14040 |
| 20 5/8 (525) | 4050 | 5050 | 6050 | 7050 | 7550 | 8050 | 9050 | 10050 | 12050 | 14050 |
| 24 5/8 (625) | 4060 | 5060 | 6060 | 7060 | 7560 | 8060 | 9060 | 10060 | 12060 | 14060 |
| 28 1/2 (725) | 4070 | 5070 | 6070 | 7070 | 7570 | 8070 | 9070 | 10070 | 12070 | 14070 |
| 30 1/2 (775) | 4075 | 5075 | 6075 | 7075 | 7575 | 8075 | 9075 | 10075 | 12075 | 14075 |
| 32 1/2 (825) | 4080 | 5080 | 6080 | 7080 | 7580 | 8080 | 9080 | 10080 | 12080 | 14080 |
| 36 3/8 (925) | 4090 | 5090 | 6090 | 7090 | 7590 | 8090 | 9090 | 10090 | 12090 | 14090 |
| 40 3/8 (1025) | 40100 | 50100 | 60100 | 70100 | 75100 | 80100 | 90100 | 100100 | 120100 | 140100 |
| 48 1/4 (1225) | 40120 | 50120 | 60120 | 70120 | 75120 | 80120 | 90120 | 100120 | 120120 | 140120 |
| 56 1/8 (1425) | 40140 | 50140 | 60140 | 70140 | 75140 | 80140 | 90140 | 100140 | 120140 | 140140 |



SUMMIT

9700 SERIES ELEVATIONS CP-P

| | | OPENING WIDTH | | | | | | | | | |
|----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | | 16 3/4 (425) | 20 5/8 (525) | 24 5/8 (625) | 28 1/2 (725) | 30 1/2 (775) | 32 1/2 (825) | 36 3/8 (925) | 40 3/8 (1025) | 48 1/4 (1225) | 56 1/8 (1425) |
| | | OSM inches/mm | OSM inches/mm | OSM inches/mm | OSM inches/mm | OSM inches/mm | OSM inches/mm | OSM inches/mm | OSM inches/mm | OSM inches/mm | OSM inches/mm |
| OPENING HEIGHT | 60 (1525) | | | | | | | | | | |
| | 64 (1625) | | | | | | | | | | |
| | 71 7/8 (1825) | | | | | | | | | | |
| | 73 3/4 (2025) | | | | | | | | | | |
| | 83 5/8 (2125) | | | | | | | | | | * |
| | 84 1/2 (2175) | | | | | | | | | | |
| | 85 1/2 (2175) | | | | | | | | | * | * |
| 40150 | 50150 | 60150 | 70150 | 75150 | 80150 | 90150 | 100150 | 120150 | 140150 | | |
| 40160 | 50160 | 60160 | 70160 | 75160 | 80160 | 90160 | 100160 | 120160 | 140160 | | |
| 40180 | 50180 | 60180 | 70180 | 75180 | 80180 | 90180 | 100180 | 120180 | 140180 | | |
| 40200 | 50200 | 60200 | 70200 | 75200 | 80200 | 90200 | 100200 | 120200 | 140200 | | |
| 40210 | 50210 | 60210 | 70210 | 75210 | 80210 | 90210 | 100210 | 120210 | 140210 | * | |
| 40240 | 50240 | 60240 | 70240 | 75240 | 80240 | 90240 | 100240 | 120240 | 140240 | * | |

* = NOT AVAILABLE IN TRIPANE.



SUMMIT

9700 SERIES

ELEVATIONS
CP-P

OPENING WIDTH

OPENING HEIGHT

| | | 60 (1525) | | 64 (1625) | | 71 7/8 (1825) | | 79 3/4 (2025) | | 83 5/8 (2125) | | 95 1/2 (2425) | |
|--|--|------------------|--------|------------------|--------|------------------|--------|------------------|--|------------------|--|------------------|--|
| | | 59 (1500) | | 63 (1600) | | 70 7/8 (1800) | | 78 3/4 (2000) | | 82 5/8 (2100) | | 94 1/2 (2400) | |
| | | 16 3/4 (425) | | 15 3/4 (400) | | 16 3/4 (425) | | 15 3/4 (400) | | 16 3/4 (425) | | 15 3/4 (400) | |
| | | 20 5/8 (525) | | 19 5/8 (500) | | 20 5/8 (525) | | 19 5/8 (500) | | 20 5/8 (525) | | 19 5/8 (500) | |
| | | 24 5/8 (625) | | 23 5/8 (600) | | 24 5/8 (625) | | 23 5/8 (600) | | 24 5/8 (625) | | 23 5/8 (600) | |
| | | 28 1/2 (725) | | 27 1/2 (700) | | 28 1/2 (725) | | 27 1/2 (700) | | 28 1/2 (725) | | 27 1/2 (700) | |
| | | 30 1/2 (775) | | 29 1/2 (750) | | 30 1/2 (775) | | 29 1/2 (750) | | 30 1/2 (775) | | 29 1/2 (750) | |
| | | 32 1/2 (825) | | 31 1/2 (800) | | 32 1/2 (825) | | 31 1/2 (800) | | 32 1/2 (825) | | 31 1/2 (800) | |
| | | 36 3/8 (925) | | 35 3/8 (900) | | 36 3/8 (925) | | 35 3/8 (900) | | 36 3/8 (925) | | 35 3/8 (900) | |
| | | 40 3/8 (1025) | | 39 3/8 (1000) | | 40 3/8 (1025) | | 39 3/8 (1000) | | 40 3/8 (1025) | | 39 3/8 (1000) | |
| | | 48 1/4 (1225) | | 47 1/4 (1200) | | 48 1/4 (1225) | | 47 1/4 (1200) | | 48 1/4 (1225) | | 47 1/4 (1200) | |
| | | 56 1/8 (1425) | | 55 1/8 (1400) | | 56 1/8 (1425) | | 55 1/8 (1400) | | 56 1/8 (1425) | | 55 1/8 (1400) | |
| | | 15040 | 16040 | 18040 | 20040 | 21040 | 24040 | | | | | | |
| | | 15050 | 16050 | 18050 | 20050 | 21050 | 24050 | | | | | | |
| | | 15060 | 16060 | 18060 | 20060 | 21060 | 24060 | | | | | | |
| | | 15070 | 16070 | 18070 | 20070 | 21070 | 24070 | | | | | | |
| | | 12075 | 16075 | 18075 | 20075 | 21075 | 24075 | | | | | | |
| | | 15080 | 15080 | 18080 | 20080 | 21080 | 24080 | | | | | | |
| | | 15090 | 16090 | 18090 | 20090 | 21090 | 24090 | | | | | | |
| | | 150100 | 160100 | 180100 | 200100 | 210100 | 240100 | | | | | | |
| | | 150120 | 160120 | 180120 | 200120 | 210120 | 240120 | | | | | | |
| | | 150140 | 160140 | 180140 | 200140 | 210140 | 240140 | | | | | | |



SUMMIT

9700 SERIES ELEVATIONS CP-P

OPENING WIDTH

| OPENING HEIGHT | OPENING WIDTH | | | | | |
|--------------------------------------|------------------------------|------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| | 60 (1525) 59 (1500) | 64 (1625) 63 (1600) | 71 7/8 (1825) 70 7/8 (1800) | 79 3/4 (2025) 78 3/4 (2000) | 83 5/8 (2125) 82 5/8 (2100) | 95 1/2 (2425) 94 1/2 (2400) |
| 60 (1525) 59 (1500) | 150150 | 160150 | 180150 | 200150 * | 210150 * | 240150 * |
| 64 (1625) 63 (1600) | 150160 | 160160 | 180160 * | | | |
| 71 7/8 (1825) 70 7/8 (1800) | 150180 | 160180 * | 180180 * | | | |
| 79 3/4 (2025) 78 3/4 (2000) | 150200 * | 160200 * | 180200 * | | | |
| 83 5/8 (2125) 82 5/8 (2100) | 150210 * | 160210 * | 180210 * | | | |
| 95 1/2 (2425) 94 1/2 (2400) | 150240 * | | | | | |

* = NOT AVAILABLE IN TRIPANE.