Inspire | Create

Exterior Door Collection





Welcome to All Weather at Home.

On behalf of the entire team, we're thrilled to have you as part of the All Weather family. At first glance, we're a window, door, and glass company. But what we build goes far beyond the products we make. We bring people together and brighten the spaces that frame lives, homes, and communities—because that's what truly matters.

For over 45 years, this belief has shaped everything we do. Our story is one of steady progress, grounded in the knowledge that the road to success is always under construction. Every project we take on is a chance to build something lasting—for our customers, partners, and communities

Whether you're building a family's dream home, partnering with a team you can count on to strengthen your business, or renovating with care, we're here to make it seamless. Thank you for trusting us to be part of your journey.

Let's get building—together.

Jillene Lakevold co-CEO

Colin Wiebe



At All Weather at Home, it's always been about more than just products—our core focus is the people behind them and the relationships we build. Every project is a partnership, where we work hand-in-hand with you to make your vision a reality. Our product lines are easy to navigate, our catalogues are designed to inspire, and our team is here to help you make confident choices that meet your needs, vision, and style.

We're more than a product provider; we're a partner, helping you create a home that's truly yours.

Over four decades of giving

We're committed to positively impacting, lives and communities across Canada and proudly give back in four key areas; strengthening families, providing shelter, supporting education and, health and wellness. Over the years this has included charitable giving, partnerships, employee volunteerism and supporting families in need, but one thing never changes – we show up for the moments that matter.

Proudly Canadian

Since 1978, we've been dedicated to crafting Canadian-made windows and doors that can stand up to the country's unique climate. Nearly five decades later, All Weather at Home has grown to become one of Canada's largest window and door manufacturers.

Our 261,000 square-foot manufacturing facility in Edmonton, Alberta, produces a full range of award-winning, energy-efficient, and weather-resistant products that frame peoples' lives. From keeping the cold out in the winter to saving energy and reducing environmental impact year-round, every product is crafted with care, as if it were for our own homes

Our products include many industry firsts and award-winning designs, in addition to meeting the stringent performance requirements of ENERGY STAR® and North American Fenestration Standards (NAFS). We've received several accolades from ENERGY STAR® over the years, including the Special Recognition Award in 2023 and 2024, and have been acknowledged as one of Canada's Best Managed Companies 15 years in a row.



Platinum member





1978 Harry Buhler and Gord Wiebe receive their first order from Stuart Ford.





VISTAGRANDE® flush-glazed smooth fibreglass doors **36**



Be inspired. Get creative.

Your dream door starts here.

We understand the thought and care that go into choosing a door. It's more than just an entryway—it's a statement about your home and a reflection of your style. That's why we've designed this collection to make finding the perfect door an effortless and inspiring experience. With quality you can trust, your only focus is finding the one that feels right for you.

To make the process even easier, our catalogue is split into two sections: Inspire and Create.

Inspire is where your vision begins. Explore door materials, decorative glass styles, and timeless designs to spark ideas and narrow down the options that best suit your style. Each page is crafted to help you imagine the possibilities, guiding you toward the perfect match.

Once your inspiration takes shape, turn to **Create** for the details. Here you'll find the technical information needed to bring your door to life, including measurements, options, and hardware finishes. It's a simple, intuitive way to move from idea to reality.

Whether you're dreaming or designing, we've got you covered every step of the way.

Be inspired. Get creative.





6 Inspire

8	New & Trending Door Highlights
26	Choosing a Door
30	Barrington® Sierra®
32	Contemporary Cherry
34	Rustic Mahogany
36	VistaGrande®
38	Craftsman Smooth
40	Textured Fibreglass
42	Smooth Fibreglass
44	Steel
46	Decorative Glass A-Z

88 Create

Index

123

90	Operating Styles, Handing & Swing
92	Fire Rated Door System
94	NAFS & ENERGY STAR®
95	Entry Door System
96	Multilock Hardware
97	Grilles & SDL
98	Brickmould, Hinges & Striker Plates
99	Door Slab & Frame Finishes
100	Style Matrix A-Z
113	Slab Sizing
116	Frame & Rough Opening Sizes
118	Measuring Your Door
119	Door Planner
120	Notes
122	Door Glass Size Code & Panel Legend

New & trending door highlights.

First impressions matter.

Explore our curated collection of new and trending door designs—where modern style meets timeless elegance. A thoughtfully designed door does more than frame your entryway; it defines the aesthetic of your entire home. From sleek lines and bold finishes, to intricate glass designs and solid panels, today's contemporary doors set a fresh standard for style and sophistication.

Discover how the right door can create a powerful first impression while reflecting your home's unique character and your individual personality.






2 PANEL SHAKER 8'0" smooth fibreglass door 42



1 PANEL SHAKER fir woodgrain textured fibreglass door 40



2 PANEL SHAKER smooth fibreglass door 42





 $\textbf{CONTEMPORARY CHERRY C601} \quad \text{cherry woodgrain textured fibreglass door with stainless steel lines \textbf{32}} \quad \text{pre-finished in raven stain}$






ZENITH glass 87 smooth fibreglass door 42 pre-finished in blue, full opaque glass sidelites & transom



OPAL glass 76 steel door 44



CELESTE glass 53 steel door 44





OSO steel door 44 full clear glass sidelite



SOHO steel doors **44** full obscure glass sidelite and transom




LINEA fluid glass 61 steel door 44





MID-CENTURY MODERN clear glass 71 smooth fibreglass door 42





FLUSH smooth fibreglass door **42** full clear glass sidelite & transom

Choosing a door inspired by you.

Beyond the functionality, the type of door you choose can say a lot about who you are. Welcoming. Bold. Charming. These are just a few of the words that come to mind when thinking about the connection between door and homeowner.

Choosing the right doors for your home shouldn't feel overwhelming. To help you choose the doors that deliver the appearance and performance you want, keep these following three simple steps in mind as you explore our catalogue.



Be inspired

Let your personal style and vision guide you in selecting the perfect entry door.

Think about your own personality. Do you like to make a statement or do you prefer a subtle effect? Is your home's style more classic or contemporary? Do you have a specific colour scheme in mind?

We have many options so take your time to be inspired and discover your style.



Choose a material

Doors are built with a variety of material and each material offers its own benefits and aesthetic appeal.

Choose from woodgrain-textured fibreglass that has the appearance of real wood, smooth fibreglass that can be painted any colour, or one of our prefinished steel skin doors for added security.

Be sure to consider the right material to meet your individual needs for you and your home.



Accentuate

This is when you can really begin to customize your door and bring your vision to life.

Choose from a variety of custom sidelites, designer transoms and decorative glass inserts while tying all the accents together by coordinating grille, caming and hardware colours.

Whatever the desired end product, these options can make the bold or subtle statement you're looking for.

Barrington® Sierra® **Mahogany Texture Fibreglass**

Taking inspiration from the craftsman style, Sierra introduces elegantly embossed panels for a bold take on a traditional look.

Contemporary **Cherry Textured Fibreglass**

Using NVD Technology, cherry grain doors achieve a wood grain texture that is indistinguishable from real wood.

Contemporary **Cherry Textured Fibreglass**

Simple and pure in design, our contemporary cherry collection achieves bold, modern design with all the benefits of fibreglass.











AUTHENTIC EMBOSSING

Deep, defined embossing mimics that of traditional hand-crafted wood doors.



STAINLESS STEEL **EMBELLISHMENTS**

Stainless steel strips are inlaid directly into the fibreglass skin.



GROOVED LINES

Gentle, recessed lines are engraved right into the fibreglass skin.



MATCHING STILES

Real mahogany-capped, square edge stiles offer an authentic wood look.



CONTEMPORARY CHERRY GRAIN

Cherry grain brings warmth and modern texture to any entry way.



OVERSIZED STILES

Oversized 4-1/8" LSL stiles give added strength and help prevent warping.

Discover more on page 30

Discover more on page 32

Discover more on page 32

Rustic Mahogany Textured Fibreglass

Our luxury textured fibreglass rustic doors add warmth to your home while accentuating personal style with a distinctly European feel.

VistaGrande® Fir Textured & Smooth Fibreglass

Instantly brighten and beautify any space with wider, factory-flush glazing - you can truly bring the outdoors in.

Craftsman Smooth Fibreglass

With a pre-pigmented white skin, smooth craftsman doors are a beautiful, long-lasting alternative to steel entry doors.









AUTHENTIC EMBOSSING

Deep, defined embossing mimics that of traditional hand-crafted wood doors.



CUSTOM FACTORY FLUSH-GLAZING

Offers a cleaner, more refined appearance and wider viewing area.



HYDROSHIELD TECHNOLOGY™

Smooth skin craftsman entry doors will not dent, rust or delaminate.



LUXURY MAHOGANY WOOD GRAIN

Detailed texture replicates real mahogany grain.



INTERNAL MINI BLINDS

Maintenance- free internal mini blinds provide privacy without losing your view.



CUSTOM FACTORY FLUSH-GLAZING

Offers a cleaner, more refined appearance for an authentic craftsman look.

Discover more on page 34

Discover more on page 36

Discover more on page 38

Textured Woodgrain **Fibreglass**

Featuring distinct architectural details, 3 authentic grain patterns, and endless customizable glass and panel combinations.

Smooth **Fibreglass**


With a smooth, paintable, lowmaintenance fibreglass surface, these doors are sure to fit any architectural style.

Prefinished Steel

Boasting high-definition panel profiles and endless glass options, our steel doors offer the most in flexibility and security.







\$\$\$





& FIR WOODGRAIN

Make a bold statement with variable-depth woodgrain patterns.



HIGH-PERFORMANCE SMOOTH SURFACE

Ideal for painting & will not rust or dent.






PREFINISHED WHITE OR BLACK

High-quality factory applied white or black painted surface.1



HIGH-DEFINITION PANEL PROFILE

Detailed and well- defined panel profile adds architectural appeal.





to grilles and panels, the

Discover more on page 42




ROT-RESISTANT BOTTOM RAIL

High-quality composite bottom rail and wood-edge construction resists rot and corrosion.

Discover more on page 44

Barrington® Sierra® Designer Fibreglass



BARRINGTON® SIERRA® 2 panel plank

Be bold. Barrington® Sierra® doors are the pinnacle of woodgrain solid-panel doors. Featuring all the benefits of Barrington luxury fibreglass, this series will be sure to impress for years to come.

Authentic mahogany woodgrain texture

The highly detailed mahogany grain adds sophistication & richness to any entrance.



Barrington Sierra mahogany pre-finished in cedar stain

Inspired rustic design

Vertical planks and soft arches echo rustic flair and authentic craftsmanship.



Barrington Sierra mahogany pre-finished in raven stain

Matching wood stiles

Real mahogany-capped, true square-edge stiles offer an authentic wood look.




Barrington Sierra mahogany pre-finished in mahogany stain

PANEL STYLES



Contemporary Cherry Designer Fibreglass



CONTEMPORARY CHERRY C501 textured fibreglass door with grooved lines

Simple and pure in design, our contemporary cherry collection achieves bold design through stainless steel embellishments or simple grooved lines. Made with high quality cherry grain textured fibreglass, this door adds warmth and texture to any entry way.

Stainless steel embellishments

Stainless steel bars in the fibreglass surface create a bold, ultra-modern look.



C605 - stainless steel lines

Contemporary embossing

Simple, symmetrical grooves bring a refined and fresh feel to any modern style.



C528 - grooved lines

Variable-depth cherry grain texture

Cherry brings warmth with its well-defined texture, perfect for any modern architecture.



C536 - grooved lines






• STAINLESS STEEL LINE STYLES Bold and strong, stainless steel strips are embellished right into the fibreglass surface, perfect for any modern style.



GROOVED LINE STYLES

Striking and refined, recessed grooved lines create a beautiful and refined style for the ultimate contemporary look.



Explore all available styles on page 111

Rustic Mahogany Designer Fibreglass



RUSTIC MAHOGANY textured fibreglass 2 panel arch-top door

Our luxurious Rustic Mahogany textured fibreglass doors add warmth to your home while accentuating personal style with a distinctly European architectural feel.

Channel old country charm with distressed, deep-grained mahogany texture.

Variable-depth mahogany grain

Detailed texture replicates the look of real mahogany woodgrain for a truly rustic look.



1 panel plank

Authentic panel embossing

Deep, defined embossing mimics that of authentic hand-crafted wood doors.



2 panel square-top plank

Dramatically wide

Rustic mahogany door slabs are available up to 42" wide on select styles.



2 panel arch-top plank



1 panel archtop plank



2 panel square-top

• PANEL & PLANK STYLES

Rustic mahogany doors are available in several panel and plank designs to perfectly match your space and style.



Explore all available styles on page 111

VistaGrande® Premium Fibreglass



PEAR 926 full glass with 152 full sidelites

Instantly brighten any space with VistaGrande® flush-glazed doors. Available in a number of glass options, VistaGrande® doors offer a wider viewing area and cleaner appearance over traditional glass inserts.

Smooth & fir grain textured fibreglass

Choose smooth fibreglass for a clean contemporary look, or fir grain for a craftsman feel.



Fir grain fibreglass with 926 full clear glass & 3-1/2" SDL

Multiple glass & design options


Personalize your door with integrated mini blinds, textured glass or SDL options.



Smooth fibreglass with 926 full internal blind

Flush-glazed glass

No insert frame means no unsightly screws and a maximized glass viewing area.



Smooth fibreglass with 426 3/4 clear glass & 1-1/8" 6 lite SDL

DOOR GLASS OPTIONS







mini-blinds





Explore all available styles on page 112

Craftsman Smooth Premium Fibreglass



CLEAR 3 LITE SDL 24-1/2"x 16-5/8" glass

Enjoy the rustic charm of Craftsman doors: mission-styled for an authentic wood look. Craftsman Smooth Skin fibreglass entry doors are a long-lasting alternative to steel and use an exclusive Hydroshield™ technology to resist dents, rust and delamination.

Hydroshield™ technology


Proprietary skin technology resists the elements and everyday wear and tear.

Pre-pigmented white fibreglass skin

Fully paintable white prepigmented fibreglass resists the appearance of scratches.

Flush-glazed glass


No insert frame means no unsightly screws and a maximized glass viewing area.







Clear glass with 3 lite SDL



Clear glass with 6 lite SDL



Clear glass sidelite w/SDL

sidelite

MATCHING SIDELITES

Compliment your door with an equally stunning, matching sidelites. Available with clear glass and optional SDL, adding sidelites will be sure to take your door to the next level of grandeur and sophistication.

Textured Premium Fibreglass



 $\textbf{CUZCO}^{\tiny{\oplus}} \hspace{0.3cm} \textbf{122 full glass in an oak textured slab with clear glass transom}$

Featuring textured premium woodgrain fibreglass in three grain types, our doors feature distinct architectural details, a reinforced lock area and thousands of customizable glass and panel combinations to choose from.

Mahogany, oak & fir textured woodgrain

Make a stunning entrance with oak, fir or mahogany variabledepth woodgrain texture.



Oak woodgrain texture with 106 1/2 Element® decorative glass

Shaker panel profile

Craftsman style doors include recessed flat shaker panels for a real craftsman style.



Fir woodgrain texture with 217 Focus decorative glass & optional dentil shelf

High-definition panel profile

Detailed panels create the authentic and inviting look of a real wood door.



Mahogany woodgrain texture with 122 full Kordella® decorative glass



8 panel (mahogany)



6 panel (oak)

SOLID PANEL OPTIONS

Available in several solid panel styles in all three woodgrain textures that will seamlessly coordinate and compliment with any decor choice.

DOOR STYLES

With so many options to choose from, it would be impossible to list them all here! Visit the door style matrix in the CREATE section starting on page 100 to see all available door styles, sizes, and configurations in this series.

Smooth Premium Fibreglass



PEAR 152 full glass with full glass clear sidelite

Smooth fibreglass doors combine the elegance of wood with the low-maintenance of fibreglass. They feature high-definition panel profiles that add architectural interest and elegance. The smooth surface is paintable and will not rust or dent.

Endless possibilities

Choose from hundreds of glass, panel, and sizing combinations.



2 panel with 404 3/4 Crosswalk decorative glass

Shaker panel profile

Craftsman style doors include recessed flat shaker panels for a real craftsman style.



2 panel with 217 Frontier® decorative glass & optional dentil shelf

High-definition panel profile

Detailed panels create the authentic and inviting look of a real wood door.



1 panel with 106 1/2 Chanelle decorative glass



2 panel plank arch top



2 panel square top


SOLID PANEL OPTIONS

Available in several solid panel styles that will seamlessly coordinate and compliment with any decor choice.

DOOR STYLES

With so many options to choose from, it would be impossible to list them all here! Visit the door style matrix in the CREATE section starting on page 100 to see all available door styles, sizes, and configurations in this series.

Steel Premium Prefinished Steel



 $\textbf{CHORD}^{\$} = 3 \times 217$ glass with full glass clear sidelite and transom

Our steel doors feature high-definition decorative panels that closely replicate those of traditional hand-crafted doors. Steel doors are also the ultimate choice for security. Best of all, they boast a durable and convenient prefinished white or black surface.

High-definition panel profile


Detailed panels create a clean and inviting look while adding visual interest to your space.

Modern embossments

Steel doors offer the latest in modern embossing and panel profiles.

Endless possibilities


Choose from hundreds of glass, panel, and sizing combinations.




3 panel



VOG embossing



Mid-century modern with 808 sand blasted glass



VOG

SOHO

• GEO COLLECTION

Available on our steel doors, the Geo collection perfectly blends modern and original styles with its sleek lines and bold shapes.

For size availability, see page 115.

DOOR STYLES

With so many options to choose from, it would be impossible to list them all here! Visit the door style matrix in the CREATE section starting on page 100 to see all available door styles, sizes, and configurations in this series.

Decorative Glass



Accentuate the entrance of your home with decorative door glass. Available on steel, smooth, and textured fibreglass doors, our decorative glass is sure to brighten up your space, increase your privacy, and improve your home's overall curb appeal.

Exquisite craftsmanship

Details like beveled glass and hand-applied caming ensure your door is made to impress.

Cachet decorative glass

Bring on the light

Create bright open spaces with various glass textures, lines and patterns.



Verso decorative glass

Next-level style

From timeless elegance to ultra-modern chic, door glass elevates any style.



Opal decorative glass



Cuzco 122 full glass




Cuzco 106 1/2 glass


MULTIPLE GLASS SIZES

Almost every decorative glass style is available in multiple sizes. Look for the glass size icons on the following pages of a quick reference of which sizes are available in each glass style.

For complete glass size availability, see the Style Matrix starting on page 100.


Adelaide









Alys









Arima










Azur






Cachet










Celeste









Chanelle




Chelsea[®]










Chord®




Crosswalk









Cuzco®






mistlite antique seedy glass black glass caming clear beveled glass grey glass glass glass glass glass


Element®










Equation









Fluid










Focus




Frontier®









Georgian™










Harlow









Hollister









Kordella®









Lexington










Louisbourg







Marco®



granite textured

glass

. clear water

glass

grey water


glass


seedy textured

glass


antique black caming


Mid-Century Modern







Mistral









Modena









Monterey









Naples[®]









Opal










Panama[®]









Pear




inspire | decorative glass | **PEAR**


Pearl®






Pure









Royston







Textured & Clear



PRIVACY

most obscure

clear

glass

rain

obscure


glass

opaque


Explore all available styles on page 108


least obscure

Transit




Venting & Internal Mini-Blinds







Verso









Winchester







clear beveled satin finish . patina

Zenith









EQUATION glass **60** smooth fibreglass door **42**



Create

90	Operating Styles
91	Handing & Swing
92	Fire Rated Door System
94	NAFS & ENERGY STAR®
95	Entry Door System
96	Multilock Hardware
97	Grilles & SDL
98	Brickmould, Hinges & Striker Plates
99	Door Slab & Frame Finishes
100	Style Matrix - Decorative Glass A-Z
110	Style Matrix - Craftsman Smooth
110	Style Matrix - Mid-Century Modern
111	Style Matrix - Panels
112	Style Matrix - VistaGrande®
113	Slab Sizing
116	Frame & Rough Opening Sizes
118	Measuring Your Door
119	Door Planner
120	Notes
122	Door Glass Size Code & Panel Legend
123	Index

Operating Styles

More than just the swing

In or out? Left or right? Single or double? A transom perhaps? Maybe a sidelite or two? The options are endless. Designing your door can be as simple as matching an existing door or as complex as a multi-part configuration. It's all up to you. Be bold. Be creative!

Double & Garden Doors

Double and garden doors may seem similar, but there is one noticeable difference. Garden doors consist of one main operating door and one fixed or venting door with a stationary centre post. Double doors however, can be fully opened to create a single large opening. The centre post, known as an astragal, is attached to one of the two doors. The astragal post uses top and bottom flush-bolts to secure it into place when both doors are not in use.



GARDEN DOOR

Left door slab is operating, right door slab is venting. Centre post is stationary.




DOUBLE DOOR

Left door slab is operating, right door slab is inactive with centre post (astragal) attached.


Sidelites

Sidelites not only enhance the look and size of your door, but they can also add additional benefits. Using a full glass sidelite can increase the amount of sunlight that enters into your home while maximizing the overall width of your door. Full glass sidelites can also be customized to varying widths. Adding venting panel sidelites can help promote airflow and increase ventilation. Sidelites are available in hundreds of styles to perfectly and seamlessly match your door.



FULL GLASS SIDELITE

Clear or textured sealed units are glazed directly into the door frame and cannot be vented (door shown as an outswing).




PANEL SIDELITE


12 or 14 inch door panels are either fixed into the door frame or vented out using a crank mechanism (door and sidelite shown as an outswing).

Transoms

Limited by width? Why not go higher? Transoms allow increased sunlight into your home while increasing beauty and elegance. Transoms are fully customizable with a large selection of shapes, sizes and clear and textured glass options.



Handing & Swing




Fire Rated Door System

The ultimate fire rated door system


Our 90-minute fire rated door system comes pre-hung and utilizes the innovative adjustable Fast-Frame® by Timely®. Fast-Frame's® advanced design adds a new dimension of flexibility and durability to our steel entry door line. Adjustable up to a full 1", the frame can accommodate almost any variation of wall construction. This easy-to-install, user-friendly, kerfed white galvanized steel door frame system is applicable to a full range of residential and commercial applications—wood or steel stud construction. Our fire rated door system is engineered to meet the most stringent code requirements including structural, impact and 90-minute fire ratings.

A 20-minute option is also available and includes a wood finger joint pine (FJP) jamb.





Fast-Frame® Construction¹



Fire Labels

Our fire rated door systems include a 20 and 90-minute fire rating option. This includes all components of the door frame, steel door slab, hinges, and striker plates.



Warranty

A 2 year limited manufacturer warranty against defects in materials and craftsmanship is included on all fire rated door systems.



Closure Test

Fire rated door systems will close and latch from 18" if the following Fast-Frame^{®1} components are used:

- D QEBD500 compression weatherstripping
- ∫ factory sweep
- adjustable T-strike
- factory supplied sills
- self-closing hinges

Door Styles

Both 20 and 90-minute options are available in a 6-panel steel skin slab. 90-minute doors also come with a steel flush slab option.



FAST-FRAME® SILLS¹

STANDARD INSWING

Thermally broken - 5-5/8" width with optional extenders

Note: Not for use on outswing applications



BUMPER OUTSWING

4-9/16" width with integrated weather seal.

Note: Not for use on inswing applications.



HANDICAP (ADA)

Double slope 4-9/16" & 6-9/16" widths



Feature & Sizing Availability

	20 Minute	90 Minute
Slab Construction	Wood Edge	Steel Edge
Jamb	Finger Joint Pine (FJP)	Steel Fast-Frame®
Glass Inserts	No	No
NAFS Compliance	No	No
Door Height	6' 8"	6' 8" & 8' 0"
Door Width	2' 8", 3' 0"	2'6", 2'8", 2' 10", 3' 0"
Frame Depth	4-9/16", 6-9/16"	4-9/16", 5-5/8", 6-5/16"
Door Swing	Inswing Only	Inswing: (5-5/8" & 6-5/16") Outswing: (4-9/16")
Door Slab Style	6 Panel Only	6 Panel & Flush

Rough Opening Sizes

	Nominal Door Size	Rough Opening Size (wood stud)
	2'6" x 6'8"	31-1/4" x 81-3/8"
6'8" Height	2'8" x 6'8"	33-1/4" x 81-3/8"
	2'10" x 6'8"	35-1/4" x 81-3/8"
	3,0, × 9,8,	37-1/4" x 81-3/8"
	2'8" x 8'0"	33-1/4" × 97-3/8"
8'o" Height	2'10" x 8'0"	35-1/4" × 97-3/8"
	3,0, × 8,0,	37-1/4" × 97-3/8"

Note: All dimensions shown are for doors with a standard inswing sill Deduct 13/16" for bumper, outswing or handicap compliant sills.

NAFS

What is NAFS?

The North American Fenestration Standard (NAFS) is designed to combine the fenestration testing and ratings process previously done by organizations such as AAMA, WDMA and CSA, into a harmonized North American Standard. It has been incorporated into the National Building Code of Canada and implemented across Canadian provinces.

NAFS Certification requires stringent standards be met for:

- Air tightness
- Water penetration resistance
- D Structural performance under wind loads
- Forced entry resistance

All Weather at Home offers NAFS tested and certified windows and doors, available in nearly every product series and configuration.* Each NAFS certified product is clearly labeled, outlining the PG value and any specific ratings such as water and air resistance values.



Performance grade & class

Ratings are based on a combination of a product's structural properties and its ability to resist water. As a result, a single numeric rating is assigned to each product. This rating is called the **Performance Grade (PG)**.

NAFS has also categorized the application of fenestration products into four groups. Each of these groups is called a **Performance Class**. Each class requires products that meet a minimum performance grade.

The performance classes and applicable minimum performance grades are:

- R: Residential (one and two family) minimum PG15
- LC: Light Commercial (low rise and multi-family dwellings) minimum PG25
- **CW:** Commercial Window (low rise and multi-family dwellings, higher loads and larger sizes) minimum PG30
- AW: Architectural Window (mid to high rise buildings, high exposure conditions) minimum PG40

ENERGY STAR®



ENERGY STAR® is a government backed program to help consumers identify energy efficient products. It is a voluntary program administered by Natural Resources Canada.

All Weather at Home products are labeled with an ENERGY STAR® label outlining product performance and zone ratings. Depending on the product and configuration, zone ratings will vary. Talk to an All Weather at Home customer service or sales representative or visit allweatherathome.ca for more information.

Entry Door System

Now even tougher

How do you improve on an entry door system that boasts superior drainage, robust construction and an enhanced seal for overall performance and stability? You listen to customer feedback, review its performance in the field, and build it even better with plenty of cool new options. Combine that together and you have our NEW All Weather at Home entry door system. Our latest entry door design includes improved sealing and key new features to protect you from the elements more effectively than ever.



Comfort in, weather out

Enhanced multilock, replaceable sill cover, and improved sealing, giving you greater protection from the elements. Our extended sill is designed to work with standard size aluminum storm doors.

See page 96 for more details on our multilock system.

Composite jamb options

Optional low-maintenance smooth composite jamb offers higher durability and resists moisture, rot and mildew.

Available in white - or add jet black wrap for additional style.

NAFS ready & certified²

To meet the stringent North American Fenestration Standards (NAFS), our doors come with the option to be fully NAFS certified.²

²NAFS certification available by request only at the time or order. NAFS performance grade (PG) requirements can vary by region and/or terrain type. Not all options/configurations may meet your area's specific requirements. Check with an All Weather at Home sales representative to help determine which products will best suit your requirements.


Multilock Hardware

The 3-point difference

To create the ultimate weather-proof seal, All Weather at Home offers a 3-point multilock door hardware system. This innovative locking system is smart, sophisticated, and packed with features making it the optimal choice in security and performance. These features include:

- 3-point hook and claw¹ mechanism on active hardware for a tighter seal
- Unique "Duo-Glide" lock mechanism. Superior to standard single drive systems, the "Duo-Glide" two-way action balances the lock system providing smoother, quieter, and easier operation. "Duo-Glide" allows for the lock points to engage in tension rather than compression thereby reducing stress on other elements of the lock system for longer life
- D Anti-slam device for added safety and gasket protection
- D Laminated stainless steel deadbolt with anti-saw pin
- D Anti-back drive feature prevents tampering
- Latch wear strip prevents marring the centre of the striker plate
- ▶ 90 degree thumb-turn deadbolt operation located above the handle

Through superior craftsmanship, materials and handle styles, our multi-point hardware takes the guesswork out of selecting the right hardware for your door. With a wide selection of premium finishes, you'll be sure to perfectly match your door with the rest of your home's finishes.



MULTILOCK HARDWARE STYLE OPTIONS



MULTILOCK HARDWARE FINISH OPTIONS



- Shoot bolt system is used for passive hardware on a double doors with astragal post.
- ² Athena and Stuttgart handles are available in flat black, satin nickel and oil rubbed bronze finishes only

Take your door to the next level

Make a lasting impression and an unforgettable look by adding internal grilles or SDL's to your entry door. Internal grilles and SDL's add a touch of elegance and give your door a traditional feel.

Internal Grilles

Internal grilles are installed between panes of glass, leaving the exposed interior and exterior glass smooth and easy to clean. Grilles provide a beautiful look of divided light, while being virtually maintenance free.

GRILLE FINISHES


	Black	Gold	Lead	Patina	White	Wicker
5/16"	•	•	•	•	•	•
5/8"	•	•		•	•	•
1"		•		•	•	•
1" Split (white/black)	•					
5/8" Georgian		•	•	•	•	•




GRILLE SPLIT FINISHES








GRILLE SIZES



SDL (Simulated Divided Lites)

Simulated Divided Lites (SDL) are installed on the exterior and interior of the glass surface to simulate the look of divided panes of glass. Traditionally, individually divided panes of glass reduce energy efficiency by creating multiple seams and joints for every pane. With the simulated design, you get the beautiful look of divided glass, without sacrificing energy efficiency.

SDL PATTERNS⁵



SDL SIZES




Brickmould, Hinges & Striker Plates

Brickmould

Brickmould is the moulding that fills the gap between where the door and wall meet. Our aluminum 3/4" slimline brickmould includes an integrated nail flange, while our 2" renovation option boasts a discreet screw channel and cover, making it the perfect choice for replacing your existing door.

In addition to our aluminum brickmould options, we offer primed wood brickmould in 3 different profiles.



Hinges & Striker Plates

Premium 4-1/2" hinges with a 5/8" radius are included on all doors in a variety of finishes to perfectly compliment the rest of your hardware. For a smoother and quieter swing, upgrade to ball bearing hinges or choose self-closing to ensure your door always remains closed. Our doors also include adjustable striker plates to ensure easy maintenance and the best possible door seal.

HINGES STRIKER PLATES



Regular Hinge



Ball Bearing Hinge



Self-Closing Hinge



Double Adjustable Striker Plate



Single Adjustable Striker Plate

HINGE & STRIKER PLATE FINISHES



Door Slab & Frame Finishes

Pre-Painted & Pre-Stained Door Slab Finishes

Offering superior durability, extended service life and exceptional chemical resistance, our pre-painted and stained doors offer a professionally-finished solution. Available on smooth fibreglass and woodgrain textured fibreglass door slabs, choose from a variety of stunning factory-applied paint and stain finishes.¹

PAINT FINISHES



STAIN FINISHES



Black Pre-Painted Steel Doors

A factory-painted black exterior easily creates a dramatic statement to your entryway, while the white pre-painted interior perfectly compliments any home's decor. Available on 2 panel, 6 panel and flush steel doors.



Door Frame Metal Cladding Finishes

All door frames come standard with a metal cladded exterior which protects the door frame while adding colour and a seamless finish.

EXTERIOR METAL CLAD COLOURS²




Actual colours may vary. Available on fibreglass doors only. Finishing includes all 6 sides of door slab and glass insert frames (if applicable). Finishing is not offered on door frame components, including exterior frame and interior jamb.

²Available with a black exterior and white interior only. Glass insert frames come unfinished (if applicable).

³Actual colours may vary. Premium colours have an additional upcharge including a colour setup fee and may have an extended lead time. Options shown do not apply to steel adjustable Fast-Frame[®].


Style Matrix | Decorative Glass | A-C

			106-1	106-1P	106-2	120-X 122-X	135-4 044-4	137-4 251-4	152-X LINEA	152-X OSO	152-X	217-2	217-2 225-2	217-X 225-X	222-X 228-X	133-4 228-4	300-X	304-2 027-2	304-3 027-3	
	4)	Mahogany		•	•	•														
	aide	Fir Oak			•	•					•									
	Adelaide	Smooth		•	•	•					•									
	1	Steel	•	•	•	•			•	•	•									
		Mahogany Fir		•	•	•										•				
	Alys	Oak			•	•		•			•					•				
	⋖	Smooth	•	•	•	•		•			•					•				
MD		Steel	•	•	•	•		•	•	•	•					•				
Н		Mahogany																		
-	æ	Fir																		
	Arima	Oak																		
	⋖	Smooth	•	•	•	•					•			•						
		Steel	•	•	•	•			•	•	•		•	•						
		Mahogany		•	•	•														
==	_	Fir																		
	Azur	Oak			•	•					•									
	1	Smooth	•	•	•	•			•	•	•		•	•						
		Steet		•	•	•				•			-	•						
H Had		Mahogany		•	•															
	het	Fir																		
	Cachet	Oak Smooth	•		•		•													
		Steel	•	•	•		•													
5-		Mahogany		•	•	•														
4	Celeste	Fir Oak			•	•					•									
	Cele	Smooth			•	•					•			•						
		Steel	•	•	•	•			•	•	•		•	•						
	Φ	Mahogany		•	•	•														
200 COMPANY - NO SAREST	Chanelle	Fir Oak			•	•														
	Cha	Smooth	•	•	•	•								•						
		Steel	•	•	•	•							•	•						
	e ®	Mahogany Fir		•	•	•														
	Chelsea®	Oak			•	•					•									
M	Che	Smooth	•	•	•	•					•									
XX		Steel	•	•	•	•			•	•	•									




Style Matrix | Decorative Glass | C-F

		:																			
			106	6-1	106-1P	106-2	120-X 122-X	135-4 044-4	137-4 251-4	152-X LINEA	152-X OSO	152-X	217-2	217-2 225-2	217-X 225-X	222-X 228-X	133-4 228-4	300-X	304-2 027-2	304-3 027-3	
		Mahogany			•	•	•										•				
	© O	Fir											•								
	Chord®	Oak				•	•					•				•	•				
	O	Smooth	•		•	•	•					•	•		•	•	•				
		Steel	•		•	•	•			•	•	•	•	•	•	•	•				
		Mahagany			_	_	_														
	₹	Mahogany Fir			•	•	•														
	SW8	Oak				•	•					•									
	Crosswalk	Smooth										•									
	O	Steel		,	•	•	•			•	•	•									
											ı										
		Mahogany			•	•	•														
	© O	Fir																			
	Cuzco®	Oak				•	•					•									
	O	Smooth			•	•	•					•									
		Steel	•		•	•	•			•	•	•									
		Malaassass			_	_															
	@ _	Mahogany Fir			•	•	•						•								
	Element®	Oak				•	•		•			•									
	len	Smooth			•		•		•			•									
	ш	Steel		,	•	•	•		•	•	•	•	•	•	•						
		Mahogany																			
	ю	Fir																			
	Equation	Oak																			
	Eq	Smooth	•	•	•	•	•					•									
		Steel	•	•	•	•	•			•	•	•									
		Mahogany Fir			•	•	•														
(17.735115)?	Fluid	Oak				•	•					•				•					
()/15.3/42	Ī	Smooth					•					•				•					
		Steel		,	•	•	•			•	•	•		•	•	•					
1 36		Mahogany			•	•	•										•				
	1S	Fir											•								
	Focus	Oak				•	•					•				•	•				
	ш	Smooth	•		•	•	•					•	•		•	•	•				
		Steel	•	•	•	•	•			•	•	•	•	•	•	•	•				
	@	Mahogany Fir			•	•											•				
	tier	Oak				•						•	•			•	•				
	Frontier®	Smooth				•						•			•	•	•				
	ш	Steel		,	•	•				•	•	•	•	•	•	•	•				





Style Matrix | Decorative Glass | G-M

			106-1	106-1P	106-2	120-X 122-X	135-4 044-4	137-4 251-4	152-X LINEA	152-X OSO	152-X	217-2	217-2 225-2	217-X 225-X	222-X 228-X	133-4 228-4	300-X	304-2 027-2	304-3 027-3	
	Σ	Mahogany		•	•	•												•		
Q -	Georgian™	Fir Oak				•					•									
	eor	Smooth		•	•	•					•							•		
Y	G	Steel	•	•	•	•			•	•	•								•	
		Mahogany		•	•	•														
	Harlow	Fir Oak			•	•					•									
	Наг	Smooth		•	•	•					•									
		Steel	•	•	•	•			•	•	•									
														,						
	_	Mahogany		•	•	•														
	iste	Fir Oak			•	•					•									
	Hollister	Smooth			•	•					•									
	_	Steel	•	•	•	•			•	•	•									
	@	Mahogany		•	•	•														
M	ella	Fir				_					_									
1	Kordella®	Oak Smooth		•	•	•					•									
		Steel	•	•	•	•			•	•	•									
-	⊆	Mahogany		•	•	•														
	Lexington	Fir Oak			_	_					_					_				
	exin	Smooth		•	•	•					•			•		•				
	_	Steel	•	•	•	•			•	•	•			•		•				
	D	Mahogany		•	•	•														
	Louisbour	Fir Oak			•	•					•									
	lsin	Smooth		•	•	•					•									
	۲	Steel	•	•	•	•			•	•	•									
		Mahogany		•	•											•				
	© 00	Fir									_	•			_	_				
	Marco®	Oak Smooth		•	•						•	•		•	•	•				
		Steel	•	•	•				•	•	•	•	•	•	•	•				
30																				
\		Mahogany		•	•	•														
	ral	Fir										•	•	•						
	Mistral	Oak Smooth		•	•	•								•						
		Steel	•	•	•	•							•	•						
101																				




Style Matrix | Decorative Glass | M-P






Style Matrix | Decorative Glass | R-Z

		 106-1	106-1P	106-2	120-X 122-X	135-4 044-4	137-4 251-4	152-X LINEA	152-X OSO	152-X	217-2	217-2 225-2	217-X 225-X	222-X 228-X	133-4 228-4	300-X	304-2 027-2	304-3 027-3	
Royston	Mahogany Fir Oak Smooth Steel	•	•	•	•			•	•	•									
Textured & Clear	Mahogany Fir Oak Smooth Steel	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Transit	Mahogany Fir Oak Smooth Steel	•	•	•	•			•	•	•		•	•	•	•				
Venting & Blinds	Mahogany Fir Oak Smooth	•	•	•	•			·	•*	•*									
Verso	Mahogany Fir Oak Smooth Steel	•	•	•	•			•	•	•									
Winchester	Mahogany Fir Oak Smooth Steel	•	•	•	•			•	•	•		•	•						
Zenith	Mahogany Fir Oak Smooth	•	•	•	•			•	•	•									



Style Matrix | Craftsman Smooth




Style Matrix | Mid-Century Modern


					\$ \$ \$		Θ		0	♦ ♦
			223	806	808	151		223	806	808
	b G									
1111000	Cross Reed	Smooth	•	•	•	•		•	•	•
	055	Steel	•	•	•	•		•	•	•
	Ç									
11112										
1111110	eq									
	Narrow Reed	Smooth	•	•	•	•		•	•	•
1111111	rrov	Steel	•	•	•	•		•	•	•
1111111	Na									
	Sable	Smooth	•	•	•	•		•	•	•
	Sa	Steel	•	•	•	•		•	•	•

	Sand Blasted									
	slas	Smooth	•	•	•	•		•	•	•
	Б	Steel	•	•	•	•		•	•	•
	Sar									
-										
	Š									
	Sea Spray	Smooth	•	•	•	•		•	•	•
	99	Steel	•	•	•	•		•	•	•
	Š									

Style Matrix | Panels



Style Matrix | VistaGrande®



VistaGrande® SDL




Slab Sizing


BARRINGTON® SIERRA® MAHOGANY TEXTURED FIBREGLASS




CONTEMPORARY CHERRY TEXTURED FIBREGLASS




CRAFTSMAN SMOOTH FIBREGLASS



FIR TEXTURED FIBREGLASS




MAHOGANY TEXTURED FIBREGLASS



Slab Sizing


OAK TEXTURED FIBREGLASS



RUSTIC MAHOGANY TEXTURED FIBREGLASS




SMOOTH FIBREGLASS




Slab Sizing

STEEL



VISTAGRANDE® SMOOTH & FIR TEXTURED FIBREGLASS



Frame & Rough Opening Sizes

SINGLE DOORS

	MINAL R SIZE	OVERALL DOOR UNIT SIZE (OSM)			ROUGH OPENING (RO)			2" RI	ENO BRICKMO (OSBM)	DULD	2" WOOD BRICKMOULD (OSBM)		
Width	Height	Wi	dth	Height	Wi	dth	Height	Wi	idth	Height	Wi	idth	Height
wiatri	neigni	Inswing	Outswing	neignt	Inswing	Outswing	neigni	Inswing	Outswing	neigni	Inswing	Outswing	neigni
2'0"	6'8"	25 1/2"	25 1/2"	81 9/16"	26 1/2"	26 1/2"	82 1/16"	28 1/4"	28 5/16"	82 15/16"	28 1/4"	28 5/16"	82 15/16"
2'0"	8'0"	25 1/2"	25 1/2"	97 1/2"	26 1/2"	26 1/2"	98"	28 1/4"	28 5/16"	98 7/8"	28 1/4"	28 5/16"	98 7/8"
2'6"	6'8"	31 7/16"	31 1/2"	81 9/16"	32 7/16"	32 1/2"	82 1/16"	34 1/4"	34 5/16"	82 15/16"	34 1/4"	34 5/16*	82 15/16"
2'6"	8'0"	31 7/16"	31 1/2"	97 1/2"	32 7/16"	32 1/2"	98"	34 1/4"	34 5/16"	98 7/8"	34 1/4"	34 5/16"	98 7/8"
2'8"	6'8"	33 7/16"	33 1/2"	81 9/16"	34 7/16"	34 1/2"	82 1/16"	36 1/4"	36 5/16*	82 15/16"	36 1/4"	36 5/16"	82 15/16"
2'8"	8'0"	33 7/16"	33 1/2"	97 1/2"	34 7/16"	34 1/2"	98"	36 1/4"	36 5/16*	98 7/8"	36 1/4"	36 5/16"	98 7/8"
2'10"	6'8"	35 1/2"	35 1/2"	81 9/16"	36 1/2"	36 1/2"	82 1/16"	38 1/4"	38 5/16*	82 15/16"	38 1/4"	38 5/16"	82 15/16"
2'10"	8'0"	35 1/2"	35 1/2"	97 1/2"	36 1/2"	36 1/2"	98"	38 1/4"	38 5/16*	98 7/8"	38 1/4"	38 5/16"	98 7/8"
3,0,,	6'8"	37 1/2"	37 1/2"	81 9/16"	38 1/2"	38 1/2"	82 1/16"	40 1/4"	40 5/16"	82 15/16"	40 1/4"	40 5/16"	82 15/16"
3,0,,	8'0"	37 1/2"	37 1/2"	97 1/2"	38 1/2"	38 1/2"	98"	40 1/4"	40 5/16"	98 7/8"	40 1/4"	40 5/16"	98 7/8"
3,6,,	6'8"	43 7/16"	43 1/2*	81 9/16"	44 7/16"	44 1/2"	82 1/16"	46 1/4"	46 5/16*	82 15/16"	46 1/4"	46 5/16"	82 15/16"
3,6,,	8'0"	43 7/16"	43 1/2"	97 1/2"	44 7/16"	44 1/2"	98"	46 1/4"	46 5/16*	98 7/8"	46 1/4"	46 5/16"	98 7/8"

DOUBLE DOORS

	MINAL R SIZE	OVERALL DOOR UNIT SIZE (OSM)			R	OUGH OPENIN (RO)	NG	2" R	ENO BRICKMO (OSBM)	DULD	2" W	OOD BRICKM((OSBM)	OULD
Width	Unicht	Wi	dth	Height	w	Width		Width		Height	Width		Height
wiatri	Height	Inswing	Outswing	neignt	Inswing	Outswing	Height	Inswing	Outswing	neigni	Inswing	Outswing	neight
2'0"	6'8"	50 3/16"	50 5/16"	81 9/16"	51 3/16"	51 5/16"	82 1/16"	53°	53 1/8"	82 15/16"	53°	53 1/8"	82 15/16"
2'0"	8'0"	50 3/16"	50 5/16"	97 1/2"	51 3/16"	51 5/16"	98"	53"	53 1/8"	98 7/8"	53"	53 1/8"	98 7/8"
2'6"	6'8"	62 3/16"	62 5/16"	81 9/16"	63 3/16"	63 5/16"	82 1/16"	65"	65 1/16"	82 15/16"	65"	65 1/16"	82 15/16"
2'6"	8'0"	62 3/16"	62 5/16"	97 1/2"	63 3/16"	63 5/16"	98"	65"	65 1/16"	98 7/8"	65"	65 1/16"	98 7/8"
2'8"	6'8"	66 1/4"	66 5/16"	81 9/16"	67 1/4"	67 5/16"	82 1/16"	69"	69 1/8"	82 15/16"	69"	69 1/8"	82 15/16"
2'8"	8'0"	66 1/4"	66 5/16"	97 1/2"	67 1/4"	67 5/16"	98"	69"	69 1/8"	98 7/8"	69"	69 1/8"	98 7/8"
2'10"	6'8"	70 3/16"	70 5/16"	81 9/16"	71 3/16"	71 5/16"	82 1/16"	73"	73 1/8"	82 15/16"	73"	73 1/8"	82 15/16"
2'10"	8'0"	70 3/16"	70 5/16"	97 1/2"	71 3/16"	71 5/16"	98"	73"	73 1/8"	98 7/8"	73"	73 1/8"	98 7/8"
3,0,,	6'8"	74 3/16"	74 5/16"	81 9/16"	75 3/16"	75 5/16"	82 1/16"	77"	77 1/16"	82 15/16"	77"	77 1/16"	82 15/16"
3,0,,	8,0,,	74 3/16"	74 5/16"	97 1/2"	75 3/16"	75 5/16"	98"	77"	77 1/16"	98 7/8"	77"	77 1/16"	98 7/8"
3,6,,	6'8"	86 1/4"	86 5/16"	81 9/16"	87 1/4"	87 5/16"	82 1/16"	89"	89 1/8"	82 15/16"	89"	89 1/8"	82 15/16"
3,6,,	8'0"	86 1/4"	86 5/16"	97 1/2"	87 1/4"	87 5/16"	98"	89"	89 1/8"	98 7/8"	89"	89 1/8"	98 7/8"

GARDEN & RENOVATION GARDEN DOORS

	IINAL R SIZE	OVERALL DOOR UNIT SIZE (OSM)			ROUGH OPENING (RO)			2" RI	ENO BRICKMO (OSBM)	DULD	2" WOOD BRICKMOULD (OSBM)			
Width	Height	W	idth	Height	W	idth	Height	Wi	dth	Height	Wi	idth	Height	
width	neigni	Inswing	Outswing	neight	Inswing	Outswing	neigni	Inswing	Outswing	neigni	Inswing	Outswing	neigni	
2'4"	6'7"		59 1/16"	79 1/2"		60 1/16"	80"		61 7/8"	80 7/8"		61 7/8"	80 7/8"	
2'6"	6'8"	63"	63 1/16"	81 9/16"	64"	64 1/16"	82 1/16"	65 13/16"	65 7/8"	82 15/16"	65 13/16"	65 7/8"	82 15/16"	
2'6"	8'0"	63"	63 1/16"	97 1/2"	64"	64 1/16*	98"	65 13/16"	65 7/8"	98 7/8"	65 13/16"	65 7/8"	98 7/8"	
2'8"	6'8"	67"	67 1/16"	81 9/16"	68"	68 1/16"	82 1/16"	69 13/16"	69 7/8"	82 15/16"	69 13/16"	69 7/8"	82 15/16"	
2'8"	8'0"	67"	67 1/16"	97 1/2"	68"	68 1/16"	98"	69 13/16"	69 13/16"	98 7/8"	69 13/16"	69 13/16"	98 7/8"	
2'10"	6'7"		71 1/16*	79 1/2"		72 1/16"	80"		73 7/8"	80 7/8"		73 7/8"	80 7/8"	
2'10"	6'8"	71"	71 1/16*	81 9/16"	72"	72 1/16"	82 1/16"	73 3/4"	73 7/8"	82 15/16"	73 3/4"	73 7/8"	82 15/16"	
2'10"	8'0"	71"	71 1/16*	97 1/2"	72"	72 1/16"	98"	73 3/4"	73 7/8"	98 7/8"	73 3/4"	73 7/8"	98 7/8"	
3,0,,	6'8"	75"	75 1/16°	81 9/16"	76"	72 1/16"	82 1/16"	77 13/16"	77 7/8"	82 15/16"	77 13/16"	77 7/8"	82 15/16"	
3,0,,	8'0"	75"	75 1/16°	97 1/2"	76"	72 1/16"	98"	77 13/16"	77 7/8"	98 7/8"	77 13/16"	77 7/8"	98 7/8"	

SINGLE DOORS WITH ONE SIDELITE

	IINAL R SIZE	SIDELI	TE SIZE	OVERA	LL DOOR UN (OSM)	IIT SIZE	RC	UGH OPENI (RO)	NG	2" RE	NO BRICKM (OSBM)	OULD	2" WC	OOD BRICKM (OSBM)	IOULD
.ve		.ve 111		W	idth		Wi	dth		w	idth		W	dth	
Width	Height	Width	Height	Inswing	Outswing	Height	Inswing	Outswing	Height	Inswing	Outswing	Height	Inswing	Outswing	Height
2'0"	6'8"	1'0"	6'8"	39 1/8"	39 1/8"	81 9/16"	40 1/8"	40 1/8"	82 1/16"	41 7/8"	41 15/16"	82 15/16"	41 7/8"	41 15/16"	82 15/16"
2'0"	6'8"	1'2"	6'8"	41 1/16"	41 1/8"	81 9/16"	42 1/16"	42 1/8"	82 1/16"	43 7/8"	43 15/16"	82 15/16"	43 7/8"	43 15/16"	82 15/16"
2'6"	6'8"	1'0"	6'8"	45 1/16"	45 3/16"	81 9/16"	46 1/16"	46 3/16"	82 1/16"	47 7/8	47 15/16"	82 15/16"	47 7/8	47 15/16"	82 15/16"
2'6"	6'8"	1'2"	6'8"	47 1/16"	47 3/16"	81 9/16"	48 1/16"	48 3/16"	82 1/16"	49 7/8"	49 15/16"	82 15/16"	49 7/8"	49 15/16"	82 15/16"
2'6"	8'0"	1'0"	8,0,,	45 1/16"	45 3/16"	97 1/2"	46 1/16"	46 3/16"	98"	47 7/8"	47 15/16"	98 7/8"	47 7/8"	47 15/16"	98 7/8"
2'6"	8'0"	1'2"	8'0"	47 1/16"	47 3/16"	97 1/2"	48 1/16"	48 3/16"	98"	49 7/8"	49 15/16"	98 7/8"	49 7/8"	49 15/16"	98 7/8"
2'8"	6'8"	1'0"	6'8"	47 1/16"	47 3/16"	81 9/16"	48 1/16"	48 3/16"	82 1/16"	49 7/8"	49 15/16"	82 15/16"	49 7/8"	49 15/16"	82 15/16"
2'8"	6'8"	1'2"	6'8"	49 1/8"	49 1/8"	81 9/16"	50 1/8"	50 1/8"	82 1/16"	51 7/8"	51 15/16"	82 15/16"	51 7/8"	51 15/16"	82 15/16"
2'8"	8'0"	1'0"	8,0,	47 1/16"	47 3/16"	97 1/2"	48 1/16"	48 3/16"	98"	49 7/8"	49 15/16"	98 7/8"	49 7/8"	49 15/16"	98 7/8"
2'8"	8'0"	1'2"	8'0"	49 1/8"	49 1/8"	97 1/2"	50 1/8"	50 1/8"	98"	51 7/8"	51 15/16"	98 7/8"	51 7/8"	51 15/16"	98 7/8"
2'10"	6'8"	1'0"	6'8"	49 1/8"	49 1/8"	81 9/16"	50 1/8"	50 1/8"	82 1/16"	51 7/8"	51 15/16"	82 15/16"	51 7/8"	51 15/16"	82 15/16"
2'10"	6'8"	1'2"	6'8"	51 1/16"	51 1/8"	81 9/16"	52 1/16"	52 1/8"	82 1/16"	53 7/8"	53 15/16"	82 15/16"	53 7/8"	53 15/16"	82 15/16"
2'10"	8'0"	1'0"	8,0,	49 1/8"	49 1/8"	97 1/2"	50 1/8"	50 1/8"	98"	51 7/8"	51 15/16"	98 7/8"	51 7/8"	51 15/16"	98 7/8"
2'10"	8'0"	1'2"	8'0"	51 1/16"	51 1/8"	97 1/2"	52 1/16"	52 1/8"	98"	53 7/8"	53 15/16"	98 7/8"	53 7/8"	53 15/16"	98 7/8"
3,0,,	6'8"	1'0"	6'8"	51 1/16"	51 1/8"	81 9/16"	52 1/16"	52 1/8"	82 1/16"	53 7/8"	53 15/16"	82 15/16"	53 7/8"	53 15/16"	82 15/16"
3,0,,	6'8"	1'2"	6'8"	53 1/16"	53 1/8"	81 9/16"	54 1/16"	54 1/8"	82 1/16"	55 7/8"	55 15/16"	82 15/16"	55 7/8"	55 15/16"	82 15/16"
3,0,,	8'0"	1'0"	8,0,,	51 1/16"	51 1/8"	97 1/2"	52 1/16"	52 1/8"	98"	53 7/8"	53 15/16"	98 7/8"	53 7/8"	53 15/16"	98 7/8"
3,0,,	8'0"	1'2"	8'0"	53 1/16"	53 1/8"	97 1/2"	54 1/16"	54 1/8"	98"	55 7/8"	55 15/16"	98 7/8"	55 7/8"	55 15/16"	98 7/8"
3,6,,	6'8"	1'0"	6'8"	57 1/16"	57 3/16"	81 9/16"	58 1/16"	58 3/16"	82 1/16"	59 7/8"	59 15/16"	82 15/16"	59 7/8"	59 15/16"	82 15/16"
3,6,,	6'8"	1'2"	6'8"	59 1/8"	59 1/8"	81 9/16"	60 1/8"	60 1/8"	82 1/16"	61 7/8"	61 15/16"	82 15/16"	61 7/8"	61 15/16"	82 15/16"
3,6,,	8'0"	1'0"	8,0,	57 1/16"	57 3/16"	97 1/2"	58 1/16"	58 3/16"	98"	59 7/8"	59 15/16"	98 7/8"	59 7/8"	59 15/16"	98 7/8"
3,6,,	8'0"	1'2"	8'0"	59 1/8"	59 1/8"	97 1/2"	60 1/8"	60 1/8"	98"	61 7/8"	61 15/16"	98 7/8"	61 7/8"	61 15/16"	98 7/8"

SINGLE DOORS WITH TWO SIDELITES

	IINAL R SIZE	SIDELITE SIZE		OVERA	OVERALL DOOR UNIT SIZE (OSM)		RC	ROUGH OPENING (RO)			NO BRICKM (OSBM)	OULD	2" WOOD BRICKMOULD (OSBM)		
\V/:-IAI-	I I a i a la A	VV(:-IAI-	I I a i a la t	Wi	dth	11-1-64	Wi	idth	11-1-1-	w	idth	I I a i a da k	Wi	idth	11-1-1-4
Width	Height	Width	Height	Inswing	Outswing	Height	Inswing	Outswing	Height	Inswing	Outswing	Height	Inswing	Outswing	Height
2'0"	6'8"	1'0"	6'8"	52 11/16"	52 13/16"	81 9/16"	53 11/16"	53 13/16*	82 1/16"	55 1/2"	55 9/16*	82 15/16"	55 1/2"	55 9/16"	82 15/16"
2'0"	6'8"	1'2"	6'8"	56 11/16"	56 13/16"	81 9/16"	57 11/16"	57 13/16"	82 1/16"	59 1/2"	59 5/8"	82 15/16"	59 1/2"	59 5/8"	82 15/16"
2'6"	6'8"	1'0"	6'8"	58 11/16"	58 13/16*	81 9/16"	59 11/16"	59 13/16"	82 1/16"	61 1/2"	61 5/8"	82 15/16"	61 1/2"	61 5/8"	82 15/16"
2'6"	6'8"	1'2"	6'8"	62 11/16"	62 13/16"	81 9/16"	63 11/16"	63 13/16"	82 1/16"	65 1/2"	65 9/16"	82 15/16"	65 1/2"	65 9/16"	82 15/16"
2'6"	8'0"	1'0"	8'0"	58 11/16"	58 13/16"	97 1/2"	59 11/16"	59 13/16"	98"	61 1/2"	61 5/8"	98 7/8"	61 1/2"	61 5/8"	98 7/8"
2'6"	8'0"	1'2"	8'0"	62 11/16"	62 13/16"	97 1/2"	63 11/16"	63 13/16"	98"	65 1/2"	65 9/16"	98 7/8"	65 1/2"	65 9/16"	98 7/8"
2'8"	6'8"	1'0"	6'8"	60 11/16"	60 13/16"	81 9/16"	61 11/16"	61 13/16"	82 1/16"	63 1/2"	63 9/16*	82 15/16"	63 1/2"	63 9/16"	82 15/16"
2'8"	6'8"	1'2"	6'8"	64 11/16"	64 13/16*	81 9/16"	65 11/16"	65 13/16"	82 1/16"	67 1/2"	67 5/8"	82 15/16"	67 1/2"	67 5/8"	82 15/16"
2'8"	8'0"	1'0"	8'0"	60 11/16"	60 13/16"	97 1/2"	61 11/16"	61 13/16"	98"	63 1/2"	63 9/16*	98 7/8"	63 1/2"	63 9/16"	98 7/8"
2'8"	8'0"	1'2"	8'0"	64 11/16"	64 13/16"	97 1/2"	65 11/16"	65 13/16"	98"	67 1/2"	67 5/8"	98 7/8"	67 1/2"	67 5/8"	98 7/8"
2'10"	6'8"	1'0"	6'8"	62 11/16"	62 13/16"	81 9/16"	63 11/16"	63 13/16"	82 1/16"	65 1/2"	65 9/16"	82 15/16"	65 1/2"	65 9/16"	82 15/16"
2'10"	6'8"	1'2"	6'8"	66 11/16"	66 13/16"	81 9/16"	67 11/16"	67 13/16"	82 1/16"	69 1/2"	69 5/8"	82 15/16"	69 1/2"	69 5/8"	82 15/16"
2'10"	8'0"	1'0"	8'0"	62 11/16"	62 13/16"	97 1/2"	63 11/16"	63 13/16"	98"	65 1/2"	65 9/16*	98 7/8"	65 1/2"	65 9/16"	98 7/8"
2'10"	8'0"	1'2"	8'0"	66 11/16"	66 13/16"	97 1/2"	67 11/16"	67 13/16"	98"	69 1/2"	69 5/8"	98 7/8"	69 1/2"	69 5/8"	98 7/8"
3,0,	6'8"	1'0"	6'8"	64 11/16"	64 13/16"	81 9/16"	65 11/16"	65 13/16"	82 1/16"	67 1/2"	67 5/8"	82 15/16"	67 1/2"	67 5/8"	82 15/16"
3,0,	6'8"	1'2"	6'8"	68 11/16"	68 13/16"	81 9/16"	69 11/16"	69 13/16"	82 1/16"	71 1/2"	71 5/8"	82 15/16"	71 1/2"	71 5/8*	82 15/16"
3,0,,	8'0"	1'0"	8,0,	64 11/16"	64 13/16"	97 1/2"	65 11/16"	65 13/16"	98"	67 1/2"	67 5/8"	98 7/8"	67 1/2"	67 5/8"	98 7/8"
3,0,,	8'0"	1'2"	8'0"	68 11/16"	68 13/16*	97 1/2"	69 11/16"	69 13/16"	98"	71 1/2"	71 5/8"	98 7/8"	71 1/2"	71 5/8"	98 7/8"
3'6"	6'8"	1'0"	6'8"	70 11/16"	70 13/16"	81 9/16"	71 11/16"	71 13/16*	82 1/16"	73 1/2"	73 9/16"	82 15/16"	73 1/2"	73 9/16*	82 15/16"
3'6"	6'8"	1'2"	6'8"	74 11/16"	74 13/16"	81 9/16"	75 11/16"	75 13/16"	82 1/16"	77 1/2"	77 5/8*	82 15/16"	77 1/2"	77 5/8"	82 15/16"
3,6,,	8'0"	1'0"	8,0,,	70 11/16"	70 13/16"	97 1/2"	71 11/16"	71 13/16"	98"	73 1/2"	73 9/16"	98 7/8"	73 1/2"	73 9/16*	98 7/8"
3,6,	8'0"	1'2"	8,0,	74 11/16"	74 13/16"	97 1/2"	75 11/16"	75 13/16"	98"	77 1/2"	77 5/8*	98 7/8"	77 1/2"	77 5/8"	98 7/8"

Measuring Your Door

STEP 1

MEASURE YOUR DOOR SLAB WIDTH

This is the measurement from the left edge of your door slab, straight across to the right edge (A).

STEP 2

MEASURE YOUR DOOR SLAB HEIGHT

This is the measurement from the top edge of your door slab, straight down to the very bottom, excluding the door sweep (B).

STEP 3


DETERMINE YOUR DOOR FRAME JAMB DEPTH

Your door jamb is the overall depth of your door frame which transitions from the exterior of your home to the interior, meeting up with your casing. This measurement usually includes the exterior sheathing, stud and drywall thicknesses. This measurement is not always easy to determine, so don't worry if you cannot get and exact measurement. A qualified installer can help.

STEP 4

DETERMINE YOUR DOOR'S HANDING AND SWING

Using the diagrams below, determine and select the swing and handing of your existing door. Remember, always view and determine your door handing and swing from the **EXTERIOR** of your home.






STEP 5

FINAL CALCULATIONS

After determining your existing door slab measurements from steps 1 & 2, record them in the first row below. Next, add the necessary measurement shown to determine the overall outside measurement (OSM) of your door frame.




Door Planner

Let's help you make it happen

Now that you're inspired and have the confidence to create a door that perfectly compliments your style and personality, use the section below to sketch out and plan each of your doors. Once complete, simply bring in this page to an All Weather at Home sales representative or authorized dealer.


ENTRY DOOR 1	Location:	ENTRY DOOR 2	Location:
ŗ	, ,,	,	, ,
Щ		ш	
Ë		H	
Ä		R	
SKETCH YOUR DOOR HERE		SKETCH YOUR DOOR	
Ĕ i		Ē	
Š		×	
•		•	
Slab Material:	Door Size:	Slab Material:	Door Size:
Frame Colour:		Frame Colour:	
Slab Colour:		Slab Colour:	
Hardware Finish:		Hardware Finish:	
LINTRY DOOR 3	Location:	GARDEN/ DOOBLE DO	OOR Location:
•		•	
Щ.		ж Ж	
里		H H	
SKETCH YOUR DOOR HERE			
00		SKETCH YOUR DOOR	
0		Δ	
- E		52	
Ä		¥	
•		<i>6</i>	
Slab Material:	Door Size:	Slab Material:	Door Size:
Glass Style:		Glass Style:	
Frame Colour:		Frame Colour:	
Slab Colour:		Slab Colour:	
Hardware Finish:		Hardware Finish:	

Notes



Door Glass Size Code & Panel Legend

Door Panel Codes



Door Glass Size Codes

10	4 29" x 37" Rectangle	155	6" x 64" Rectangle	411	22" × 37.5
10	6 22" x 36" Rectangle	160	20" x 36" Rectangle	420	20" x 48"
10	7 22" x 37.5" Arch Top	212	22" x 8" Rectangle	426	26" x 48"
10	8 20" x 20" Square	215	22" x 16" Rectangle	450	8" x 48"
11	4 14" x 64" Rectangle	217	22" x 17" Rectangle	451	8" x 48"
12	o 20" x 64" Rectangle	222	22" x 12" Rectangle	610	9" × 17"
12	2 22" x 64" Rectangle	223	22" x 3.5" Rectangle	615	8" x 16"
12	6 26" x 36" Rectangle	225	22" x 15" Rectangle	617	8" x 17"
12	9 8" x 36" Rectangle	226	22" x 17" Rectangle	680	8" x 6"
13	3 22" x 9" Rectangle	228	22" x 10" Rectangle	682	8" x 8"
13	5 22" x 10" Sunburst	251	22" x 10" Arch Top	806	8" x 6"
13	6 7.5" × 18.5" Rectangle	300	20" x 57" Oval	808	8" x 8"
13	7 22" x 10" Arch Top	302	14" x 52" Oval	810	22" x 80"
15	1 8" x 64" Rectangle	303	16" x 40" Oval	814	14" x 80".
15	2 7" × 64" Rectangle	304	16" x 40" Oval	820	20" x 80"
15	3 6.5" × 61.25" . Rectangle	404	22" x 48" Rectangle	826	26" x 80"
15	4 7" × 64" Rectangle	405	22" x 48" Rectangle	852	8" x 80" .
				853	8" x 80" .
				926	26" x 64"



Index

A	G	P
Adelaide ADE (T) 48, 100 Alys (N) 49, 100 Arima (N) 46, 50, 100 Astragal 90 Azur 338 (N) 51, 100	Garden Doors 90 Geo Collection 18, 45 Georgian [™] ₅₁₇ (M) 64, 104 Grilles 97 Grooved Lines 33	Panama® 725 (M) 77, 106 Panels 111 Pear 116 (M) 37, 78, 106, 112 Pearl® 140 (M) 37, 79, 106, 112 Premium Pare Sisista 36, 38, 40, 42
В	н	Premium Pre-Finished Steel 44 Pre-Painted / Pre-Stained 12, 99
Barrington Sierra (M) 27, 30, 113 Blinds (Internal) 37, 84, 108, 112 Brickmould 98 C Cachet (N) 47, 52, 100 Caming 47 Celeste 367 (N) 17, 53, 100 Chanelle 308 (N) 43, 54, 100 Chelsea® 341 (M) 55, 100 Cherry Woodgrain 32 Chord® 115 (M) 37, 44, 56, 102, 112 Cladding 99 Clear Glass 71, 82, 108, 112 Colour 99 Contemporary Cherry (T) 13, 27, 32, 113 Craftsman Smooth (T) 28, 38, 110, 113 Cross Reed 71, 110 Crosswalk (O) 57, 102 Cuzco® 364 (M) 40, 58, 102	L Lexington LEX (T) 68, 104 Linea (N) 18, 21, 45, 111, 115 Louisbourg (N) 69, 104	Pure 334 (N) 80, 106 Q R Rain 82 Rough Openings 116 Royston (T) 81, 108 Rustic Mahogany (T) 28, 34, 114 S Sable (T) 71, 110 Sand Blasted (T) 71, 110 SDL 37, 39, 97, 110, 112 Sea Spray (T) 22, 71, 110 Shaker Doors 9, 10, 111, 113, 114 Sidelites 90 Sierra 27, 30, 113 Sizing 113 Slab Sizing 113 Smooth Fibreglass 29, 37, 42, 114 SOHO (T) 18, 20, 45, 111, 115 Stainless Steel Bars 33 Steel 29, 44, 115
Decorative Glass 46 Dentil Shelf 41, 43 Designer Fibreglass 30, 32, 34 Door Planner 119 Double Doors 90 E Element® 328 (M) 41, 59, 102	Mahogany Woodgrain 31, 34, 41, 113 Marco® 331 (M) 40, 104 Measuring Your Door 118 Metal Cladding 99 Mid-Centry Modern (T) 22, 45, 71, 110 Mistral (N) 72, 104 Modena MOD (T) 73, 106 Monterey (o) 74, 106	Steel Adjustable Fast-Frame® 92 Striker Plates 98 Swings 91 T Textured Fibreglass 29, 40 Textured Glass 88, 114
ENERGY STAR® 94 Entry Door System 95 Equation (N) 60, 88, 102	Multilock Hardware 96 N NAFS 94	Transit 263 (N) 89, 116 Transoms 96 U V
Fast-Frame® 92 Finishes 99 Fir Woodgrain 37, 41, 113 Fire Rated Door System 92	Naples® 366 (M) 6, 75, 106 Narrow Reed 71, 110 New & Trending Doors 8	Venting Glass (o) 84, 108 Verso (N) 14, 47, 85, 108 VistaGrande® (M) 4, 28, 36, 112, 115 VOG (T) 18, 45, 111, 115
Fluid ₀₇₉ (N) 12, 61, 102 Flush 24 Flush-Glazed 28, 39 Focus [®] ₃₁₂ (M) 41, 62, 102 Frontier [®] ₃₁₂ (M) 43, 63, 102	Oak Woodgrain 41, 114 Obscure Glass 82 Opal 349 (N) 16, 47, 76, 106 Opaque Glass 82 Operating Styles 90 OSO (T) 18, 19, 45, 111, 115 Outswing 95	W Winchester (N) 86, 108 X Y Z Zenith 347 (N) 15, 87, 108











f 🛛 🗶 in

allweatherathome.ca

Toll-Free (800) 638-5709

Calgary (888) 932-3387

Edmonton (800) 232-9407

Lethbridge (877) 327-0701

Red Deer (855) 348-0701

Regina (888) 672-2202

Saskatoon (800) 589-9899

Vancouver (800) 518-8338

Winnipeg (800) 892-5340





Platinum member



While All Weather at Home makes every effort to ensure that the information contained in this catalogue is accurate, we do not accept liability for any inaccuracies. This catalogue is subject to change, as well as errors and omissions, without notice or liability. Photos shown throughout this catalogue are for illustrative purposes only. This includes all displayed hardware, colours, finishes and configurations, which may differ in availability and/or appearance from the final product. All doors come unfinished and do not include lockset/handle hardware unless otherwise specified. Any depicted windows may not represent actual All Weather at Home arounds of the product and so that the product a

V4.2 apparance of an arms at morne, All Rights Reserved.

